



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/723,428

11/27/2003

William J. Monski JR.

MR/02-003

6255

21140

7590

04/04/2006

GREGORY L BRADLEY
MEDRAD INC
ONE MEDRAD DRIVE
INDIANOLA, PA 15051

EXAMINER

FETZNER, TIFFANY A

ART UNIT

PAPER NUMBER

2859

DATE MAILED: 04/04/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

A

Response to Rule 312 Communication	Application No.	Applicant(s)	
	10/723,428	MONSKI ET AL.	
	Examiner	Art Unit	
	Tiffany A. Fetzner	2859	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

1. ☒ The amendment filed on 03/01/2006 under 37 CFR 1.312 has been considered, and has been:

- a) ☐ entered.
- b) ☒ entered as directed to matters of form not affecting the scope of the invention.
- c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

- d) ☐ disapproved. See explanation below.
- e) ☐ entered in part. See explanation below.

The Rule 1.312 amendment filed March 1st 2006 has a correct first page / cover sheet providing the correct application and serial number. The examiner notes however that the subsequent pages of the response, the listing of the corrected abstract, specification, and claims has an incorrect serial number and an incorrect attorney docket number listed. Because the original front page cover sheet provides the correct US serial number and attorney docket number, all of the pages of this response are being considered as being from US serial number 10/723,428. The amendment has been marked okay for entry by the examiner. An Official drafts person's review of the formal drawings submitted with the payment of the issue fee is attached to this response.



Diego Gutierrez
Supervisory Patent Examiner
Technology Center 2800